



Rita's
21960 Center Ridge Rd.
Rocky River, OH
August 8, 2023




1-800-967-2553
www.allenindustries.com


Customer Approval / Signature

Signature: _____ Date: _____



- 1 48" Illuminated Brand Mark
- 2 12" Illuminated "ICH" Channel Letters
- 3 Pylon Tenant Panels





Front Elevation
Scale: 1/2"=1'-0"

- 1 Rita's - 48" Illuminated Brand Mark / Channel
- 2 Rita's "ICH Illuminated Letterset / Channel

CONCEPTUAL ONLY



Night View




Proposed

PHOTO ELEVATION DEPICTION BASED ON ESTIMATED SCALE
IS INTENDED FOR GENERAL CONCEPT ILLUSTRATION.
ACTUAL SIZING MAY VARY FROM IMAGE.

Vinyl Specifications	
	3M 3630-26 Green
	3M 3630-33 Red
	Digital Print
Paint Specifications	
	Matthews Semi-Gloss White

General Specifications:

Faces:	.177" White Acrylic w/ 1st Surface Vinyl Graphics w/ 1" Trim Cap
Returns:	.040" Aluminum Attached to Back
Backs:	3mm ACM Backs - Pre-Finished White
Illum:	White LEDs as required by manufacturer; Self Contained Power Supplies
Wall Type:	TBD
Install:	Signs Anchored on raceways as Required Per Wall Construction
Electrical:	Actual # of Circuits to be determined by Licensed Electrical Contractor, (1) 20 AMP Circuit, 120 Volts



THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.





3 Rita's - Pylon Tenant Panels

FIELD SURVEY REQUIRED
Prior to Release to Production

Vinyl Specifications

- 3M 3630-26 Green
- 3M 3630-33 Red

General Specifications:

Face: .150" White Polycarbonate Faces w/ 1st Surface 3M Vinyl film, Rita's brand mark to be digitally printed 3M Scotchprint with matte UV overlamine

 The size of the "®" logo should be adjusted as necessary, independently from the rest of the text, to look clear and legible, yet unobtrusive. "®" logo should not detract from the overall design. Its proportion next to the neighboring word depends a lot on the final size of each appearance. A general guideline for text is to make this symbol a little smaller than half the x-height.