

FIRST READING: 10.11.21

SECOND READING: 10.25.21

THIRD READING: 11.8.21

ORDINANCE NO. 69-21

BY: CHRISTINA MORRIS

AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF ROCKY RIVER, SECTION 903.04 ENTITLED "SIDEWALK MATERIAL, WIDTH AND THICKNESS", AS FURTHER DESCRIBED IN THE ATTACHED EXHIBIT "A"

WHEREAS: the Administration of the City of Rocky River, has deemed it necessary to amend Section 903.04 of our Codified Ordinances regarding sidewalk material, width and thickness; and


WHEREAS: it is the desire of the Administration and Council of the City of Rocky River that Section 903.04 of the Codified Ordinances of the City of Rocky River concerning sidewalk material, width and thickness be amended, as further described in the attached Exhibit "A".

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ROCKY RIVER, COUNTY OF CUYAHOGA, STATE OF OHIO:

SECTION 1. That Section 903.04 of the Codified Ordinances of the City of Rocky River entitled "Sidewalk Material, Width and Thickness" be amended as further described in the attached Exhibit "A".

SECTION 2. That this Ordinance shall take effect and be in force from and after the earliest period allowed by law.

PASSED: November 8th, 2021


JAMES W. MORAN
President of Council

PRESENTED

TO MAYOR: November 8th, 2021

APPROVED: November 8th, 2021

ATTEST:


SUSAN G. PEASE
Clerk of Council


PAMELA E. BOBST
Mayor

I, the undersigned clerk of council of the city of Rocky River, State of Ohio, do hereby certify that publication of the foregoing ordinance was duly made by posting a true copy thereof in the lobby of the Rocky River City Hall, in accordance with the charter of Rocky River, commencing on the 8th day of November, 20 21.


City of Rocky River } ss
County of Cuyahoga }

THE UNDERSIGNED CLERK OF THE COUNCIL OF THE CITY OF ROCKY RIVER, OHIO DOES HEREBY CERTIFY THAT THE FOREGOING IS A TRUE AND CORRECT COPY OF ORDINANCE NO. 69-21 ADOPTED BY THE COUNCIL OF SAID CITY ON THE 8th DAY OF November, 2021. THAT THE PUBLICATION OF SUCH ORDINANCE HAS BEEN MADE AND CERTIFIED OF RECORD ACCORDING TO LAW; THAT NO PROCEEDINGS LOOKING TO A REFERENDUM UPON SUCH ORDINANCE HAVE BEEN TAKEN; THAT SUCH ORDINANCE AND THE CERTIFICATE OF PUBLICATION THEREOF, ARE OF RECORD IN ORDINANCE RECORD NO. 69-21

IN WITNESS WHEREOF, I HAVE HEREUNTO SUBSCRIBED MY NAME AND AFFIXED MY OFFICIAL SEAL THIS 8th DAY OF November, 2021.

Per A backup\Ordinances\Cover Ordinance for Section 903.04


CLERK OF COUNCIL OF THE CITY OF ROCKY RIVER, OHIO


Clerk of Council of the City of Rocky River, Ohio

903.04 SIDEWALK MATERIAL, WIDTH AND THICKNESS.

All sidewalks hereafter constructed shall require a 6" base of crushed, clean gravel 1-1.5" in size, comparable in size to #57 limestone. With the exception of sidewalks at driveway openings. Concrete within sidewalks shall be not less than four (4) inches thick and non-reinforced except at driveway crossings where the slab shall be ~~four (4)~~ Six (6) inches thick with one (1) layer of 6x6x#10 welded wire fabric reinforcing. The width of any new sidewalk shall be not less than five (5) feet. (Ord. 96-84. Passed 2-1-85; **Ord. 69-21. Passed 11-8-21.**)