

FIRST READING: 9.12.22
SECOND READING: 9.19.22
THIRD READING: 9.26.22

ORDINANCE NO. 54-22

BY: BRIAN J. SINDELAR

AN EMERGENCY ORDINANCE AUTHORIZING THE SAFETY-SERVICE DIRECTOR TO PURCHASE TWO (2) 2023 INTERNATIONAL HV507 SINGLE-AXLE TRUCK CHASSIS FOR THE SERVICE DIVISION UNDER THE STATE COOPERATIVE PURCHASING ACT FROM RUSH TRUCK CENTER, AT A COST NOT TO EXCEED \$180,527.88, AS DESCRIBED IN EXHIBIT "A"

WHEREAS: Council passed Resolution 20-88 on March 21, 1988 authorizing the Administration to participate in the Ohio Cooperative Purchasing Act; and,

WHEREAS: the Director of Public Safety Service has determined it to be in the best interest of the City of Rocky River to purchase two (2) 2023 International HV507 Single-axle truck chassis for the Service Division at a cost not to exceed One Hundred Eighty Thousand Five Hundred Twenty Seven Dollars and 88/100 (\$180,527.88), from Rush Truck Center, 11775 Highway Drive, Cincinnati, Ohio 45241, under the State Cooperative Purchasing Act, under which the State of Ohio publicly bids vehicles for governmental use annually, as further described in Exhibit "A".

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ROCKY RIVER, COUNTY OF CUYAHOGA, STATE OF OHIO:

SECTION 1. That the Safety Service Director of the City of Rocky River is hereby authorized to purchase (2) 2023 International HV507 Single-axle truck chassis for the Service Division at a cost not to exceed One Hundred Eighty Thousand Five Hundred Twenty Seven Dollars and 88/100 (\$180,527.88), from Rush Truck Center, 11775 Highway Drive, Cincinnati, Ohio 45241, under the State Cooperative Purchasing Act, as further described in Exhibit "A".

SECTION 2. That funds for said purchase shall be paid from the Equipment Purchase Fund-Streets Vehicles and Large Equipment.

SECTION 3. That this Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of public peace, health and safety, and to participate timely in the Ohio Cooperative Purchasing program, at the State's prevailing price and for the further reason that it is necessary for the Service Division, and provided it receives the affirmative vote of two-thirds (2/3) of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor: otherwise it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: September 26th, 2022


JAMES W. MORAN
President of Council

PRESENTED

TO MAYOR: September 26th, 2022 APPROVED, September 26th, 2022

ATTEST:


SUSAN G. PEASE
Clerk of Council


PAMELA E. BOBST
Mayor

I, the undersigned clerk of council of the city of Rocky River, State of Ohio, do hereby certify that publication of the foregoing ordinance was duly made by posting a true copy thereof in the lobby of the Rocky River City Hall, in accordance with the charter of Rocky River, commencing on the 26th day of September, 20 22.


Clerk of Council of the City of Rocky River, Ohio

It is hereby certified that the amount required for the execution of this Ordinance has been lawfully appropriated or authorized or directed for such purpose and is in the treasury or in the process of collection to the credit of the fund described herein free from any obligation or certification now outstanding.


MICHAEL THOMAS, CPA
Director of Finance

City of Rocky River } ss
County of Cuyahoga }

THE UNDERSIGNED CLERK OF THE COUNCIL OF THE CITY OF
ROCKY RIVER, OHIO DOES HEREBY CERTIFY THAT THE
FOREGOING IS A TRUE AND CORRECT COPY OF ORDINANCE
NO. 54-22 ADOPTED BY THE COUNCIL OF SAID CITY
ON THE 26th DAY OF September, 2022 THAT THE
PUBLICATION OF SUCH ORDINANCE HAS BEEN MADE AND
CERTIFIED OF RECORD ACCORDING TO LAW; THAT NO
PROCEEDINGS LOOKING TO A REFERENDUM UPON SUCH
ORDINANCE HAVE BEEN TAKEN; THAT SUCH ORDINANCE AND
THE CERTIFICATE OF PUBLICATION THEREOF, ARE OF RECORD
IN ORDINANCE RECORD NO. 54-22

IN WITNESS WHEREOF, I HAVE HEREUNTO SUBSCRIBED
MY NAME AND AFFIXED MY OFFICIAL SEAL THIS 26th DAY OF
September, 2022

Aaron G. Grace
CLERK OF COUNCIL OF THE CITY OF ROCKY RIVER, OHIO



OHIO DEPARTMENT OF TRANSPORTATION
CENTRAL OFFICE • 1980 WEST BROAD STREET • COLUMBUS, OH 43223
MIKE DEWINE, GOVERNOR • JACK MARCHBANKS, Ph.D., DIRECTOR

September 23, 2021

Rush Truck Centers of Ohio, Inc.
11775 Highway Dr.
Cincinnati, OH 45241

Re: 023-22
Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from October 1, 2021 to September 30, 2022.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully,


A handwritten signature in dark ink, appearing to read 'Jack Marchbanks'.

Jack Marchbanks, Ph.D.
Director
Ohio Department of Transportation

Prepared For:
City of Rocky River
Rich Snyder
21012 Hilliard Blvd.
Cleveland, OH 44116-3312
(440)356 - 5630
Reference ID: HV507 2023

Presented By:
RUSH TRUCK CENTERS
Will F Parsons
11775 HIGHWAY DRIVE
CINCINNATI OH 45241 -
(513)372-8800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2023 HV507 SFA (HV507)

AXLE CONFIG:
APPLICATION:
MISSION:

4X2

Front Plow with spreader
Requested GVWR: 39000. Calc. GVWR: 43000. Calc. GCWR: 80000
Calc. Start / Grade Ability: 31.51% / 3.53% @ 55 MPH
Calc. Geared Speed: 73.3 MPH
Wheelbase: 163.00, CA: 88.00, Axle to Frame: 63.00
{Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM
Governed Speed, 350 Peak HP (Max)
{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,
On/Off Highway
Omit Item (Clutch & Control)
{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential,
200 Wheel Ends Gear Ratio: 5.63
Conventional, Day Cab
(3) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position
(4) 11R22.5 Load Range H HDC 3 (CONTINENTAL), 492 rev/mile, 68 MPH, Drive
31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
Cab schematic 100WK
Location 1: 9219, Winter White (Std)
Chassis schematic N/A

DIMENSION:
ENGINE, DIESEL:

TRANSMISSION, AUTOMATIC:

CLUTCH:
AXLE, FRONT NON-DRIVING:
AXLE, REAR, SINGLE:

CAB:
TIRE, FRONT:
TIRE, REAR:
SUSPENSION, REAR, SINGLE:
PAINT:

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
HV50700	Base Chassis, Model HV507 SFA with 163.00 Wheelbase, 88.00 CA, and 63.00 Axle to Frame.	5783/3857	9640	\$101,486.00
1ANA	AXLE CONFIGURATION {Navistar} 4x2	-38/-120	-158	\$0.00
	Notes			
	: Pricing may change if axle configuration is changed.			
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield): 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	93/298	391	\$783.00
1LLK	BUMPER, FRONT Omit Item	-89/14	-75	(\$200.00)
1LPN	SPECIAL FRAME PIERCING Additional Holes for State of Ohio, Gledhill Snow Plow Hitch	0/0	0	\$200.00
1MEJ	FRAME, SPECIAL EFFECTS Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	0/0	0	\$26.00
1UAM	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille	108/-18	90	\$695.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	93/-93	0	\$0.00
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186	\$2,426.00
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 20,000-lb Capacity, with Shock Absorbers	58/0	58	\$791.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
	Includes			
	: BRAKE LINES Color and Size Coded Nylon			
	: DRAIN VALVE Twist-Type			
	: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster			
	: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel			
	: PARKING BRAKE VALVE For Truck			
	: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release; 1 for 4x2, 2 for 6x4			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6			
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2	\$542.00
	Notes			
	: When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.			
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	2/0	2	\$165.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	9/18	27	\$526.00

Code	Description	F/R Wt (lbs) 0/7	Tot Wt (lbs) 7	List (US DOLLAR) \$0.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake			
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	4/0	4	\$0.00
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	0/0	0	\$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14	\$38.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	0/16	16	\$58.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0	\$0.00
4VGN	AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	-12/-4	-16	\$432.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	12/9	21	\$50.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10	\$70.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail	-41/61	20	\$288.00
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/52	52	(\$1,424.00)
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 20,000-lb Capacity	33/0	33	(\$1,068.00)
5708	STEERING COLUMN Tilting	13/2	15	\$125.00
5CBE	STEERING WHEEL 4-Spoke, 18" Dia., Black Leather Wrapped	1/0	1	\$236.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	102/-6	96	\$1,159.00
6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	6/22	28	\$96.00
7BEU	AFTERTREATMENT COVER Aluminum	8/3	11	\$278.00
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	122/54	176	\$2,128.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	0/0	0	\$184.00
7WAZ	TAIL PIPE (1) Turnback Type	5/5	10	\$64.00
7WDM	EXHAUST HEIGHT 10'	14/13	27	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	8/8	16	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
Includes				
: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab				
: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel				
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever				
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light				

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
	: STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0	\$0.00
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	\$100.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2	\$363.00
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	22/31	53	\$103.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8	\$138.00
8RPB	RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect	8/2	10	\$103.00
8RPR	ANTENNA for Increased Roof Clearance Applications	1/0	1	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3	\$483.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00

Code	Description	F/R Wt (lbs) 0/0	Tot Wt (lbs) 0	List (US DOLLAR) \$42.00
8WRB	HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8WTK	STARTING MOTOR (Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/1	9	\$193.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0	\$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened	0/0	0	\$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8XDU	BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab	-13/7	-6	\$461.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0	\$0.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	3/0	3	\$94.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	1/0	1	\$38.00
8XKY	USB PORT (1) Located in the Instrument Panel	0/0	0	\$46.00
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0	\$58.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10	\$167.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2	\$76.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 Includes : PAINT SCHEMATIC ID LETTERS "WK"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1	\$1,125.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00

Code	Description	F/R Wt (lbs) 3/0	Tot Wt (lbs) 3	List (US DOLLAR) \$98.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines Includes : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door			
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10	\$353.00
12ESN	ENGINE, DIESEL {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	559/5	564	\$9,757.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed Includes : FAN Nylon	0/0	0	\$0.00
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler Includes : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	24/-6	18	\$0.00
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2	\$352.00
12VJC	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2022	0/0	0	\$350.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0	\$0.00
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0	\$60.00
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0	\$0.00
13BCS	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	0/0	0	\$6,651.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1	\$50.00

Code	Description	F/R Wt (lbs) 1/0	Tot Wt (lbs) 1	List (US DOLLAR) \$61.00
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission			
13WGK	TRANSMISSION COOLER HOSES Stainless Steel	0/0	0	\$996.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0	\$0.00
13WVU	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$141.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0	\$0.00
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0	\$0.00
14ARB	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends , Gear Ratio: 5.63	0/218	218	\$1,767.00
14VAJ	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	0/132	132	\$305.00
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0	\$260.00
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/-5	-5	\$123.00
15SXJ	FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia. 50 US Gal (189L), Mounted Left Side, Under Cab	29/5	34	\$342.00
15WCN	DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab	-3/20	17	\$178.00
16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	0/0	0	\$98.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	54/2	56	\$923.00
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	0/0	0	\$488.00

Includes

: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for

: GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
16HGH	: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	1/0	1	\$48.00
16HHE		2/0	2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	-12/-6	-18	\$116.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	3/0	3	\$118.00
16SJX	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Bright, Heated, 7.5" Sq.	9/0	9	\$430.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	14/9	23	\$368.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0	\$442.00
Notes				
: Mirror Dimensions are Rounded to the Nearest 0.5"				
16VKK	CAB INTERIOR TRIM Diamond, for Day Cab	6/1	7	\$548.00
Includes				
: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger				
: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted				
: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side				
16VSL	WINDSHIELD Heated, Single Piece	0/0	0	\$632.00
16VZB	SEAT BELT COMFORT CLIP	0/0	0	\$9.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$45.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	0/0	0	\$76.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0	\$333.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$30.00

Code	Description	F/R Wt (lbs) 0/0	Tot Wt (lbs) 0	List (US DOLLAR) \$61.00
16XWY	WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side			
16XXC	COWL TRAY LID	7/4	11	\$200.00
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	-11/-3	-14	\$777.00
26DPN	WHEEL, SPARE, DISC {Accuride 29039} 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only	0/103	103	\$268.00
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	62/0	62	\$224.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/24	24	\$127.00
29007	TIRE, SPARE Equal to Model Standard	0/121	121	\$613.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Latched Switches	0/0	0	\$790.00
7382135440	(4) TIRE, REAR 11R22.5 Load Range H HDC 3 (CONTINENTAL), 492 rev/mile, 68 MPH, Drive	0/96	96	\$1,144.00
7792545438	(3) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	135/0	135	\$1,362.00
Total of Product Features				\$147,318.00
Services Section:				
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0	\$0.00
Total of Service Features				\$0.00
Total Component Weight:		7480/4977	12457	
Total List Price Including Options:				\$147,318.00
Body/Allied Equipment Code	Description	F/R Wt	Tot Wt	List
Goods Purchased Code	Description	F/R Wt	Tot Wt	List

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

(US DOLLAR)		Price
<u>Description</u>		
Factory List Prices:		
Product Items	\$147,318.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		
Navistar surcharges	\$4,000.00	\$147,318.00
tire surcharges \$30 each x 6	\$180.00	
Total Preparation And Delivery:		
Freight	\$3,100.00	\$4,180.00
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		
Less Customer Allowance:		\$154,598.00
Total Vehicle Price:		(\$64,304.36)
Total Sale Price:		\$90,293.64
Total Per Vehicle Sales Price:		\$90,293.64
Net Sales Price:		\$90,293.64

This vehicle is sold under ODOT co-op contract #023-22.

____ Your formal purchase order (showing your name, amount & Net 30 terms) is required to accompany this signed proposal for Rush to order this vehicle under the ODOT program.

____ Payment is due within 30 days of invoicing as delayed payment terms. Local customer buying under state contract must have their credit approved for 30 day terms. The states credit approval does not extend to co-op buyers. BMO Harris Bank requires their form signed for Rush to release vehicle under delayed payment terms. Any extension of credit beyond the contract stated 30 days of invoicing must be arranged before ordering vehicle.

____ Please consult with your body upfitter to assure all dimensions and needed components are included in truck specification (i.e.; frame extensions, special bumper, wiring, switches, axle capacities, etc). Any post production chassis modifications are responsibility of buyer or body upfitter.

____ Invoicing will occur upon delivery of bare chassis to customer or location of customers choice.

____ Title will be delivered promptly upon receipt of payment.

____ No financing terms are included in the contract. If any type of Rush sourced or self-sourced financing/leasing is to be used by customer, these terms must be approved by Ron Huckery before order is placed.

____ If a trade-in vehicle is involved, the vehicle must be in same condition as original appraisal and surrendered at time of new bare chassis delivery. Any condition deficiencies may alter trade allowance.

____ Bodies are not part of the ODOT 023-22 contract. If proper resolution/ordinance is provided to allow body inclusion, contract chassis payment is due upon delivery of bare chassis to customer or body upfitter of their choice. Body will be invoiced separately upon completion.

____ Any changes in specifications, pricing or terms must be in writing and accepted by both parties. verbal agreements or changes cannot be honored.

If you need arrangements other than listed above, please contact Ron Huckery at (513) 372-8816
Your signature on this proposal confirms that you have read and agree with all the above terms.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.



OHIO DEPARTMENT OF TRANSPORTATION
CENTRAL OFFICE • 1980 WEST BROAD STREET • COLUMBUS, OH 43223
MIKE DEWINE, GOVERNOR • JACK MARCHBANKS, PH.D., DIRECTOR

September 23, 2021

Rush Truck Centers of Ohio, Inc.
11775 Highway Dr.
Cincinnati, OH 45241

Re: 023-22
Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.
This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis.
The contract will be in effect from October 1, 2021 to September 30, 2022.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully,


A handwritten signature in dark ink, appearing to read 'Jack Marchbanks', is written over a horizontal line.

Jack Marchbanks, Ph.D.
Director
Ohio Department of Transportation

Prepared For:
City of Rocky River
Rich Snyder
21012 Hilliard Blvd.
Cleveland, OH 44116-3312
(440)356 - 5630
Reference ID: HV507 2023

Presented By:
RUSH TRUCK CENTERS
Will F Parsons
11775 HIGHWAY DRIVE
CINCINNATI OH 45241 -
(513)372-8800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



AXLE CONFIG: APPLICATION: MISSION:	Model Profile	
	2023 HV507 SFA (HV507)	
DIMENSION: ENGINE, DIESEL:	4X2	
	Front Plow with spreader Requested GWR: 39000. Calc. GWR: 43000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 31.51% / 3.53% @ 55 MPH Calc. Geared Speed: 73.3 MPH Wheelbase: 163.00, CA: 88.00, Axle to Frame: 63.00 {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway Omit Item (Clutch & Control) {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends Gear Ratio: 5.63 Conventional, Day Cab (3) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position (4) 11R22.5 Load Range H HDC 3 (CONTINENTAL), 492 rev/mile, 68 MPH, Drive 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A	
TRANSMISSION, AUTOMATIC:		
CLUTCH:		
AXLE, FRONT NON-DRIVING:		
AXLE, REAR, SINGLE:		
CAB:		
TIRE, FRONT:		
TIRE, REAR:		
SUSPENSION, REAR, SINGLE:		
PAINT:		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs) 5783/3857	<u>Tot Wt</u> (lbs) 9640	<u>List</u> (US DOLLAR) \$101,486.00
HV50700	Base Chassis, Model HV507 SFA with 163.00 Wheelbase, 88.00 CA, and 63.00 Axle to Frame.			
1ANA	AXLE CONFIGURATION {Navistar} 4x2			
	<u>Notes</u> : Pricing may change if axle configuration is changed.	-38/-120	-158	\$0.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	93/298	391	\$783.00
1LLK	BUMPER, FRONT Omit Item	-89/14	-75	(\$200.00)
1LPN	SPECIAL FRAME PIERCING Additional Holes for State of Ohio, Gledhill Snow Plow Hitch	0/0	0	\$200.00
1MEJ	FRAME, SPECIAL EFFECTS Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	0/0	0	\$26.00
1UAM	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille	108/-18	90	\$695.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	93/-93	0	\$0.00
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186	\$2,426.00
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 20,000-lb Capacity, with Shock Absorbers	58/0	58	\$791.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release; 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6			
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2	\$542.00
	<u>Notes</u> : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.			
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	2/0	2	\$165.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	9/18	27	\$526.00

Code	Description	F/R Wt (lbs) 0/7	Tot Wt (lbs) 7	List (US DOLLAR) \$0.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake			
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	4/0	4	\$0.00
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	0/0	0	\$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14	\$38.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	0/16	16	\$58.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0	\$0.00
4VGN	AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	-12/4	-16	\$432.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	12/9	21	\$50.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10	\$70.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail	-41/61	20	\$288.00
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/52	52	(\$1,424.00)
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 20,000-lb Capacity	33/0	33	(\$1,068.00)
5708	STEERING COLUMN Tilting	13/2	15	\$125.00
5CBE	STEERING WHEEL 4-Spoke, 18" Dia., Black Leather Wrapped	1/0	1	\$236.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	102/-6	96	\$1,159.00
6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	6/22	28	\$96.00
7BEU	AFTERTREATMENT COVER Aluminum	8/3	11	\$278.00
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	122/54	176	\$2,128.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	0/0	0	\$184.00
7WAZ	TAIL PIPE (1) Turnback Type	5/5	10	\$64.00
7WDM	EXHAUST HEIGHT 10'	14/13	27	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	8/8	16	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light				

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
	: STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0	\$0.00
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	\$100.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2	\$363.00
8MSG	BATTERY SYSTEM {Fleerite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	22/31	53	\$103.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8	\$138.00
8RPB	RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect	8/2	10	\$103.00
8RPR	ANTENNA for Increased Roof Clearance Applications	1/0	1	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3	\$483.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8WPPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs) 0/0	<u>Tot Wt</u> (lbs) 0	<u>List</u> (US DOLLAR) \$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/1	9	\$193.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0	\$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened	0/0	0	\$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8XDU	BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab	-13/7	-6	\$461.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0	\$0.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	3/0	3	\$94.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	1/0	1	\$38.00
8XKY	USB PORT (1) Located in the Instrument Panel	0/0	0	\$46.00
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0	\$58.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10	\$167.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2	\$76.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 Includes : PAINT SCHEMATIC ID LETTERS "WK"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1	\$1,125.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00

Code	Description	F/R Wt (lbs) 3/0	Tot Wt (lbs) 3	List (US DOLLAR) \$98.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/ B6.7/ISL/L9 Engines Includes : BLOCK HEATER SOCKET Receptacle Type, Mounted below Drivers Door			
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10	\$353.00
12ESN	ENGINE, DIESEL {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	559/5	564	\$9,757.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed Includes : FAN Nylon	0/0	0	\$0.00
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler Includes : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	24/-6	18	\$0.00
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2	\$352.00
12VJC	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2022	0/0	0	\$350.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0	\$0.00
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for, Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0	\$60.00
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0	\$0.00
13BCS	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	0/0	0	\$6,651.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1	\$50.00

Code	Description	F/R	Wt	Tot Wt	List
		(lbs)	(lbs)	(lbs)	
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1		(US DOLLAR) \$61.00
13WGK	TRANSMISSION COOLER HOSES Stainless Steel	0/0	0		\$996.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0		\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0		\$0.00
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0		\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0		\$141.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0		\$0.00
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0		\$0.00
14ARB	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.63	0/218	218		\$1,767.00
14VAJ	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	0/132	132		\$305.00
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0		\$260.00
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/-5	-5		\$123.00
15SXJ	FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab	29/5	34		\$342.00
15WCN	DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab	-3/20	17		\$178.00
16030	CAB Conventional, Day Cab	0/0	0		\$0.00
16ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	0/0	0		\$98.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	54/2	56		\$923.00
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	0/0	0		\$488.00

Includes

- : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for
- : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List	
				(US DOLLAR)	
16HGH	: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)				
16HHE	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1		\$48.00
16HKT	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2		\$30.00
16JNT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0		\$0.00
	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	-12/-6	-18		\$116.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	3/0	3		\$118.00
16SUX	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Bright, Heated, 7.5" Sq.	9/0	9		\$430.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	14/9	23		\$368.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0		\$442.00
	Notes				
	: Mirror Dimensions are Rounded to the Nearest 0.5"				
16VKK	CAB INTERIOR TRIM Diamond, for Day Cab	6/1	7		\$548.00
	Includes				
	: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger				
	: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted				
	: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side				
16VSL	WINDSHIELD Heated, Single Piece	0/0	0		\$632.00
16VZB	SEAT BELT COMFORT CLIP	0/0	0		\$9.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3		\$45.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5		\$367.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	0/0	0		\$76.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0		\$0.00
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0		\$333.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2		\$30.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs) 0/0	<u>Tot Wt</u> (lbs) 0	<u>List</u> (US DOLLAR) \$61.00
16XWY	WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side			
16XXC	COWL TRAY LID	7/4	11	\$200.00
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	-11/-3	-14	\$777.00
26DPN	WHEEL, SPARE, DISC {Accuride 29039} 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only	0/103	103	\$268.00
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	62/0	62	\$224.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/24	24	\$127.00
29007	TIRE, SPARE Equal to Model Standard	0/121	121	\$613.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches	0/0	0	\$790.00
7382135440	(4) TIRE, REAR 11R22.5 Load Range H HDC 3 (CONTINENTAL), 492 rev/mile, 68 MPH, Drive	0/96	96	\$1,144.00
7792545438	(3) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	135/0	135	\$1,362.00
Total of Product Features				\$147,318.00
Services Section:				
40128	WARRANTY Standard for HV507, HV508, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0	\$0.00
Total of Service Features				\$0.00
Total Component Weight:		7480/4977	12457	
Total List Price Including Options:				\$147,318.00
<u>Body/Allied Equipment Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>	<u>List</u>
<u>Goods Purchased Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>	<u>List</u>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items		\$147,318.00
Service Items		\$0.00
Total Factory List Price Including Options:		
Navistar surcharges		\$4,000.00
tire surcharges \$30 each x 6		\$180.00
Total Preparation And Delivery:		
Freight		\$3,100.00
Total Freight:		\$4,180.00
Total Factory List Price Including Freight:		\$3,100.00
Less Customer Allowance:		\$154,598.00
Total Vehicle Price:		(\$64,304.36)
Total Sale Price:		\$90,293.64
Total Per Vehicle Sales Price:		\$90,293.64
Net Sales Price:		\$90,293.64

This vehicle is sold under ODOT co-op contract #023-22.

— Your formal purchase order (showing your name, amount & Net 30 terms) is required to accompany proposal for Rush to order this vehicle under the ODOT program.

— Payment is due within 30 days of invoicing as delayed payment terms. Local customer buying under state contract must have their credit approved for 30 day terms. The states credit approval does not extend to co-op buyers. BMO Harris Bank requires their form signed for Rush to release vehicle under delayed payment terms. Any extension of credit beyond the contract stated 30 days of invoicing must be arranged before ordering vehicle.

— Please consult with your body upfitter to assure all dimensions and needed components are included in truck specification (i.e., frame extensions, special bumper, wiring, switches, axle capacities, etc). Any post production chassis modifications are responsibility of buyer or body upfitter.

____ Invoicing will occur upon delivery of bare chassis to customer or location of customers choice.
 ____ Title will be delivered promptly upon receipt of payment.

— This will be delivered promptly upon receipt of payment.

____ No financing terms are included in the contract. If any type of Rush sourced or self-sourced financing/leasing is to be used by customer, these terms must be approved by Ron Huckery before order is placed.

_____ If a trade-in vehicle is involved, the vehicle must be in same condition as original appraisal and surrendered at time of new bare chassis delivery. Any condition deficiencies may alter trade allowance.

_____ Bodies are not part of the ODOT 023-22 contract. If proper resolution/ordinance is provided to allow body inclusion, contract chassis payment is due upon delivery of bare chassis to customer or body upfitter of their choice. Body will be invoiced separately upon completion.

_____. Any changes in specifications, pricing or terms must be in writing and accepted by both parties. Verbal agreements or changes cannot be honored.

changes cannot be honored.

If you need arrangements other than listed above, please contact Ron Huckery at (513) 372-8816. Your signature on this proposal confirms that you have read and agree with all the above terms.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.