

FIRST READING: 4.24.23
SECOND READING: 5.1.23
THIRD READING: 5.8.23

BY: BRIAN J. SINDELAR

AN EMERGENCY ORDINANCE AUTHORIZING THE MAYOR AND THE SAFETY-SERVICE DIRECTOR TO PURCHASE ONE (1) 2024 REFUSE SEMI TRACTOR CHASSIS FOR THE SERVICE DIVISION UNDER THE STATE COOPERATIVE PURCHASING ACT FROM RUSH TRUCK CENTERS OF OHIO, INC., AT A COST NOT TO EXCEED \$141,993.00, AS FURTHER DESCRIBED IN EXHIBIT "A"

WHEREAS: Council passed Resolution 20-88 on March 21, 1988 authorizing the Administration to participate in the Ohio Cooperative Purchasing Act; and,

WHEREAS: the Director of Public Safety Service has determined it to be in the best interest of the City of Rocky River to purchase one (1) 2024 Refuse Semi Tractor Chassis for the Service Division from Rush Truck Centers of Ohio, Inc., 11775 Highway Drive, Cincinnati, OH 45241, under the State Cooperative Purchasing Act, at a cost not to exceed One Hundred Forty One Thousand Nine Hundred Ninety Three Dollars and 00/100 (\$141,993.00), as further described in Exhibit "A".

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ROCKY RIVER, COUNTY OF CUYAHOGA STATE OF OHIO:

SECTION 1. That the Director of Public Safety-Service is hereby authorized to purchase one (1) 2024 Refuse Semi Tractor Chassis from Rush Truck Centers of Ohio, Inc., 11775 Highway Drive, Cincinnati, OH 45241, at a cost not to exceed One Hundred Forty One Thousand Nine Hundred Ninety Three Dollars and 00/100 (\$141,993.00), under the State Cooperative Purchasing Act, as further described in Exhibit "A".

SECTION 2. That the funds for said purchase shall be paid from the Equipment Purchase Fund-Refuse and Recycling Vehicles and Large Equipment account.

SECTION 3. That this Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of public peace, health and safety, and for the further reason that it is necessary for the Service Division, and provided it receives the affirmative vote of two-thirds (2/3) of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: May 8th, 2023

James W. Moran
JAMES W. MORAN
President of Council

PRESENTED

TO MAYOR: May 8th, 2023

APPROVED, May 8th, 2023

ATTEST:

Susan G. Pease
SUSAN G. PEASE
Clerk of Council

Pamela E. Bobst
PAMELA E. BOBST
Mayor

I, the undersigned clerk of council of the city of Rocky River, State of Ohio, do hereby certify that publication of the foregoing ordinance was duly made by posting a true copy thereof in the lobby of the Rocky River City Hall, in accordance with the charter of Rocky River, commencing on the 8th day of May, 2023.

Susan G. Pease
Clerk of Council of the City of Rocky River, Ohio

or certification now outstanding.

City of Rocky River } ss
County of Cuyahoga }

Michael Thomas
MICHAEL THOMAS, CPA
Director of Finance

THE UNDERSIGNED CLERK OF THE COUNCIL OF THE CITY OF ROCKY RIVER, OHIO DOES HEREBY CERTIFY THAT THE FOREGOING IS A TRUE AND CORRECT COPY OF ORDINANCE NO. 36-23 ADOPTED BY THE COUNCIL OF SAID CITY ON THE 8th DAY OF May, 2023 THAT THE PUBLICATION OF SUCH ORDINANCE HAS BEEN MADE AND CERTIFIED OF RECORD ACCORDING TO LAW, THAT NO PROCEEDINGS LOOKING TO A REFERENDUM UPON SUCH ORDINANCE HAVE BEEN TAKEN; THAT SUCH ORDINANCE AND THE CERTIFICATE OF PUBLICATION THEREOF, ARE OF RECORD IN ORDINANCE RECORD NO. 36-23

IN WITNESS WHEREOF, I HAVE HEREUNTO SUBSCRIBED MY NAME AND AFFIXED MY OFFICIAL SEAL THIS 8th DAY OF May, 2023

p:\City Council\Council March & April 2023\April 17 Meeting\Ord 36-23.doc

Susan G. Pease
CLERK OF COUNCIL OF THE CITY OF ROCKY RIVER, OHIO


INTERNATIONAL®

April 10, 2023

Prepared For:
City of Rocky River
Rich Snyder
21012 Hilliard Blvd.
Cleveland, OH 44116-3312
(440)356 - 5630
Reference ID: 2024 budget

Presented By:
RUSH TRUCK CENTERS
Will F Parsons
11775 HIGHWAY DRIVE
CINCINNATI OH 45241 -
(513)372-8800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2024 HX620 SBA 6x4 (HX62F)

APPLICATION:
MISSION:

On-Off Highway Tractor - General
Requested GCWR: 80000. Calc. GCWR: 115000. Calc. GVWR: 53220
Calc. Start / Grade Ability: 17.35% / 1.66% @ 55 MPH
Calc. Geared Speed: 78.4 MPH

DIMENSION:
ENGINE, DIESEL:

Wheelbase: 179.00, CA: 110.00, Axle to Frame: 65.00
{Cummins X15 450} Efficiency Series, EPA 2017, 450HP @ 1800 RPM, 1650 lb-ft Torque @ 1000 RPM, 1800 RPM Governed Speed, 461 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 4000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,600-lb Capacity

AXLE, REAR, TANDEM:

{Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .

433"(11mm) Wall Housing Thickness, R Wheel Ends Gear Ratio: 4.33

CAB:

Conventional, Day Cab

TIRE, FRONT:

(2) 11R22.5 Load Range H G751 MSA (GOODYEAR), 497 rev/mile, 68 MPH, All-Position

TIRE, REAR:

(8) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

SUSPENSION, REAR, AIR, TANDEM:

{Hendrickson HAS-402-55} 40,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock

Absorbers

PAINT:

Cab schematic 100LX

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

Inventory Vehicle

Proposal: 24863-01

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
HX62F00	Base Chassis, Model HX620 SBA 6x4 with 179.00 Wheelbase, 110.00 CA, and 65.00 Axle to Frame.	10106/6638	16744	\$229,107.00
1616	FRAME RAILS WITH TAPERED REAR	0/0	0	\$87.00
1832	DECK PLATE Aluminum, (2) Sections, 15" Wide	13/13	26	\$347.00
1CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	-6/69	63	\$0.00
1LRB	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	0/0	0	\$0.00
1WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	15/0	15	\$148.00
1WXK	WHEELBASE RANGE 148" (375cm) Through and Including 189" (480cm)	0/0	0	\$0.00
2ASM	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,600-lb Capacity	0/0	0	\$1,278.00
3ADE	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 16,000-lb Capacity, with Shock Absorbers	-91/0	-91	\$283.00
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications	0/0	0	\$346.00
Includes				
: BRAKE LINES Color and Size Coded Nylon				
: DRAIN VALVE Twist-Type				
: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster				
: GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab				
: HAND CONTROL VALVE, AIR Mounted on Steering Column				
: HOSE TENDER Back of Cab Mounted				
: PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel				
: PARKING BRAKE VALVE Combination Valve for Tractor and Trailer				
: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle				
: SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted				
: TRACTOR PROTECTION VALVE				
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank	0/0	0	\$0.00
4AZY	AIR BRAKE ABS {Bendix AntiLock Brake System} 6-Channel (6 Sensor/6 Modulator) Electronic Stability Program, with Automatic Traction Control	0/0	0	\$2,426.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	0/0	0	\$76.00
4JCC	BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers	0/0	0	\$0.00
4JDD	BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 24" Sq. In. Brake Chambers	1/0	1	\$1,346.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0	\$0.00

Inventory Vehicle

2

Proposal: 24863-01

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
4WEY	BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5"	0/0	0	\$0.00
4WGZ	DUST SHIELDS, REAR BRAKE {Bendix Spicer ADB22X} Rotor, with Air Disc Brakes	0/10	10	\$730.00
4XCJ	BRAKES, FRONT {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 23,000-lb Capacity	0/0	0	\$0.00
4XCK	BRAKES, REAR {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 26,000-lb Capacity per Axle	0/0	0	\$0.00
4XDX	BRAKE CHAMBERS, FRONT AXLE 20 Sqn, for Air Disc Brakes	1/0	1	\$0.00
4XEA	BRAKE CHAMBERS, REAR AXLE 18/24 Sqn Spring Brake, Double Diaphragm, for Air Disc Brakes	0/0	0	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	0/0	0	\$0.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	110/-14	96	\$1,159.00
6DGU	DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	0/0	0	\$0.00
7BLJ	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	0/0	0	\$0.00
7SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX15 Engines; Furnished with Engine	0/0	0	\$0.00
7WBA	TAIL PIPE (1) Turnback Type, Bright	-10/-3	-13	\$208.00
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	0/0	0	\$133.00
7WDM	EXHAUST HEIGHT 10'	0/0	0	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
Includes				
: HAZARD SWITCH Integral with Turn Signal Switch				
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever				
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light				
: STARTER SWITCH Electric, Key Operated				
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector				
: TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature				
: TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights, Fender Mounted				
: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted				
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted				
: WIRING, CHASSIS Color Coded and Continuously Numbered				
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8541	HORN, ELECTRIC (2) Disc Style	1/0	1	\$29.00
8653	HORN, AIR Single, Located Under Cab	0/0	0	\$0.00

Inventory Vehicle

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	0/0	0	\$0.00
8GHU	ALTERNATOR (Delco Remy 28Si) Brush Type, 12 Volt, 200 Amp Capacity, Pad Mount, with Remote Sense	4/0	4	\$253.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	3/0	3	\$209.00
8MSH	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud	32/21	53	\$317.00
8RLZ	BATTERY DISCONNECT SWITCH {Cole-Hersee 75920-06} 300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted	2/0	2	\$248.00
8RMD	RADIO AM/FM/WB/Clock/Auxiliary Input, with Multiple Speakers	2/0	2	\$368.00
8RMG	ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror	0/0	0	\$0.00
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0	\$0.00
8WBW	JUMP START STUD Remote Mounted	2/0	2	\$168.00
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	0/0	0	\$0.00
8WDG	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	0/1	1	\$211.00
8WLL	LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	4/1	5	\$119.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
3WWD	BATTERY BOX COVER Stainless Steel, Bright Finish	6/4	10	\$726.00
8WVG	STARTING MOTOR {Mitsubishi Electric Automotive America 105Pi} 12-Volt, with Soft-Start	0/0	0	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8XHT	HEADLIGHTS Halogen, Composite Combination	0/0	0	\$0.00
8XJG	FOG LIGHTS (2) Clear Lens, Halogen, Rectangular, with White Light Source	0/0	0	\$185.00
9505	QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted	10/25	35	\$318.00
9585	FENDER EXTENSIONS Rubber	0/0	0	\$104.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
9ASE	FRONT END Tilting, Composite	0/0	0	\$0.00
9HCL	GRILLE Black Vertical Accent Bars, with Black Mesh	0/0	0	\$0.00

Inventory Vehicle

4

Proposal: 24863-01

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs) 5/0	Tot Wt (lbs) 5	List (US DOLLAR) \$131.00
9WAC	BUG SCREEN Mounted Behind Grille			
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
	Includes : PAINT SCHEMATIC ID LETTERS "LX"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10HHZ	FIFTH WHEEL, AIR SLIDE {Fontaine SL7LWB825012} 12" Slide, Cast Top Plate, 8.25 Above Top of Frame, Left Hand Release	0/516	516	\$2,590.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
10WPR	MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps	-7/29	22	\$105.00
10WSX	MUD FLAPS, REAR Black Poly, with International Logo, Less Holders	-3/14	11	\$58.00
11001	CLUTCH Omit Item (Clutch & Control)	-123/-21	-144	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00
12864	BLOCK HEATER, ENGINE {Phillips} 120V/1500W	2/0	2	\$156.00
12991	COLD STARTING EQUIPMENT Automatic Ether; with Engine ECM Control, Ether Bottle Not Included	0/0	0	\$168.00
12EGP	ENGINE, DIESEL {Cummins X15 450} Efficiency Series, EPA 2017, 450HP @ 1800 RPM, 1650 lb-ft Torque @ 1000 RPM, 1800 RPM Governed Speed, 461 Peak HP (Max)	0/0	0	(\$4,227.00)
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	0/0	0	\$0.00
12VBC	AIR CLEANER Single Element	0/0	0	\$0.00
12VGU	ENGINE CONTROL, REMOTE MOUNTED for X15 Engines	0/0	0	\$93.00
12VHA	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2019	0/0	0	\$0.00
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	0/0	0	\$0.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0	\$0.00
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	0/0	0	\$0.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0	\$0.00
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	0/0	0	\$0.00
13ATR	TRANSMISSION, AUTOMATIC {Allison 4000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	61/47	108	\$12,549.00

Inventory Vehicle

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs) 0/0	Tot Wt (lbs) 0	List (US DOLLAR) \$50.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button, for Allison 3000 & 4000 Series Transmission			
13WCU	OIL COOLER, TRANSMISSION {Moline} Remote Mounted; Not for use with Retarder, for Automatic Transmission	43/-7	36	\$1,371.00
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0	\$405.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0	\$0.00
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0	\$725.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0	\$0.00
13XAZ	PTO CONTROL, DASH MOUNTED For Customer Provided PTO, Includes Switch and Wiring, for Allison Transmission	0/0	0	\$83.00
14GVU	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, . 433"(11mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 4.33	0/0	0	\$0.00
14WMJ	AXLE, REAR, LUBE {Em Gard FE-75W-90} Synthetic Oil, 50 thru 64.99 Pints	0/0	0	\$364.00
14XAL	SUSPENSION, REAR, AIR, TANDEM {Hendrickson HAS-402-55} 40,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers	0/304	304	(\$187.00)
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0	\$260.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0	\$0.00
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	0/0	0	\$0.00
15LNA	FUEL HEATER {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	0/0	0	\$148.00
15SHC	FUEL TANK Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab	19/35	54	\$618.00
16031	CAB Conventional, Day Cab	0/0	0	\$0.00

- Includes
- : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
 - : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
 - : CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area
 - : GLASS, ALL WINDOWS Tinted
 - : GRAB HANDLE, CAB INTERIOR (2) One Each Side
 - : GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors
 - : SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides

Inventory Vehicle

Proposal: 24863-01

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
16HBA	: STEP (4) Two Steps Per Door GAUGE CLUSTER English with English Electronic Speedometer	0/0	0	\$0.00
16HGL	GAUGE, OIL TEMP, REAR AXLE	0/0	0	\$190.00
16HLC	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) Mounted in Instrument Panel	0/0	0	\$51.00
16JPD	SEAT, DRIVER (National 2000 Model 195) Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	4/0	4	\$105.00
16RAN	SEAT, PASSENGER (National 2000 Model 192) Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust	23/9	32	\$558.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	5/0	5	\$667.00
16SNX	Notes : Mirror Dimensions are Rounded to the Nearest 0.5"			
16SNY	MIRROR, CONVEX, LOOK DOWN Right Side, Bright, 6" x 10.5"	3/0	3	\$57.00
16VJZ	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Bright, 7.5" x 7"	11/-1	10	\$270.00
	CAB INTERIOR TRIM Classic, for HX Day Cab	0/0	0	\$0.00
	Includes : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side : FLOOR COVERING Rubber, Black : SUN VISOR (2) Vinyl with Toll Ticket Strap			
16VRT	HEATER, ENHANCED CIRCULATION (Bergstrom) Control, for Extreme Cold Weather Climates	0/0	0	\$0.00
16VZA	WINDOW, REAR 52.25" Wide	0/0	0	\$0.00
16WAK	WINDOW, POWER (2) in Left and Right Doors	0/0	0	\$0.00
16WBX	SEAT BELT All Orange	0/0	0	\$39.00
16WJG	CAB DOOR LOCKS Power	0/0	0	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) with Integral Heater and Defroster	0/0	0	\$0.00
16WKR	WINDSHIELD Single Piece	0/0	0	\$0.00
16WLD	CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly	0/0	0	\$0.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	15/1	16	\$348.00

Inventory Vehicle

INTERNATIONAL®

Vehicle Specifications
2024 HX620 SBA 6x4 (HX62F)

April 10, 2023

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
16ZDV	GRAB HANDLE, EXTERIOR Towel Bar Type in lieu of Non-Bright Grab Handles, for use with Cab/Frame or Cab/Frame/Sleeper Non-Bright Access, without Chassis Skirts	0/0	0	\$324.00
16ZGV	ACCESS, FRAME Non-Bright, Step Mounted Left Side, with One Deck Plate and Grab Handle	10/11	21	\$539.00
27DUK	WHEELS, FRONT {Accuride 29169} DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	22/0	22	\$145.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/88	88	\$462.00
7372138102	(8) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive	0/40	40	\$328.00
7382138123	(2) TIRE, FRONT 11R22.5 Load Range H G751 MSA (GOODYEAR), 497 rev/mile, 68 MPH, All-Position	34/0	34	\$478.00
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline	0/0	0	\$0.00

Total of Product Features \$261,010.00

Services Section:

40124	WARRANTY Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A	0/0	0	\$0.00
-------	---	-----	---	--------

Total of Service Features \$0.00

Total Component Weight:

10330/7830

18160

Total List Price Including Options:

\$261,010.00
(US DOLLAR)

1 Judco quote for PTO system and aluminum full fenders

Total Body Allied:

\$22,400.00
(US DOLLAR)

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

Inventory Vehicle

Proposal: 24863-01

(US DOLLAR)		Price
<u>Description</u>		
Factory List Prices:		
Product Items	\$261,010.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		
Freight Charge	\$0.00	\$261,010.00
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		
Less Customer Allowance:		\$264,110.00
Total Vehicle Price:		(\$144,517.00)
Total Body/Allied Equipment:		\$119,593.00
Total Sale Price:		\$22,400.00
Total Per Vehicle Sales Price:		\$141,993.00
Net Sales Price:		\$141,993.00

Priced under ODOT contract 023-23. Payment terms are Net 30 upon bare chassis delivery to customer or their body builder.

Subject to future surcharges to be handled per ODOT contract. Order is accepted based on production availability.

If you need arrangements other than listed above, please contact Ron Huckery at (513) 372-8816
Your signature on this proposal confirms that you have read and agree with all the above terms.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

Inventory Vehicle

Rich Snyder

From: Rich Snyder
Sent: Monday, May 8, 2023 6:17 PM
To: John Shepherd
Cc: James Moran; 'Jim Moran'; Pamela E. Bobst
Subject: Resolution 40-23 and Ordinance 41-23
Attachments: CMAQ Project Description.pdf

Councilman Shepherd,

Emergency Resolution 40-23 requests authorization to submit and administer an application for the Northeast Ohio Areawide Coordinating Agency (NOACA) for the Congestion Mitigation and Air Quality (CMAQ) to fund traffic and pedestrian improvements for the Center Ridge Gateway Improvement Project. The section of Center Ridge within the scope of the project is from Pease Drive to Spencer Road. Improvements as part of the grant will include and Intelligent Transportation System that will allow interconnectivity and communication to between signals to reduce congestion and improve traffic flow. We also intend to add preemption for emergency vehicles. The improvements between Pease and Spencer will be consistent with the improvements that took place as part of the Center Ridge Signals project that took place in 2020-2021 between Linden Rd and Glenbar Drive. The total request to NOACA will be \$450,000 of the estimated \$755,500 for the project. We are offering a 40% match to maximize potential points available for the project.

I have attached a project description that was part of the grant application.

Emergency Ordinance 41-23 requests authorization to utilize the services of SmithGroup for additional engineering and design review as part of Phase II of the Bradstreet's Landing Improvement Project in an amount not to exceed \$25,000. This is not a request for additional appropriations, but would provide authorization to expend funds associated with the Capital Improvement Fund – Engineering Services Account. The current year-to-date encumbrances with SmithGroup are related to the value engineering and the preparation of documents for the fourth bidding of Phase II at Bradstreet's Landing. The current request for authorization would allow SmithGroup to review submittals and Requests for Information (RFI's) by the contractor and provide expertise. SmithGroup has been involved with the Bradstreet's Landing project back to the Master Plan, through design for the pier, and recently the design for Phase II. Their experience and understanding of the design is essential to a timely and cost effective completion of this phase of the project.

I expect three full reads for both pieces of legislation.

Please let me know if you have any further questions or concerns.

Thank you.

Rich Snyder
Director of Public Safety-Service
City of Rocky River
21012 Hilliard Blvd.
Rocky River, OH 44116
Phone: 440.895.2581