

FIRST READING: 6.5.23

SECOND READING: 6.12.23

THIRD READING: 6.26.23

ORDINANCE NO. 45-23

BY: BRIAN J. SINDELAR

AN EMERGENCY ORDINANCE AUTHORIZING THE MAYOR AND THE SAFETY-SERVICE DIRECTOR TO PURCHASE TWO (2) PLOW AND BODY PACKAGES FOR PREVIOUSLY PURCHASED 2023 INTERNATIONAL HV507 SINGLE-AXEL TRUCK CHASSIS FOR THE SERVICE DIVISION UNDER THE SOURCEWELL COOPERATIVE PURCHASING CONTRACT FROM HENDERSON PRODUCTS, INC., AT A COST NOT TO EXCEED \$259,484.00, AS FURTHER DESCRIBED IN EXHIBIT "A"

WHEREAS: the Director of Public Safety Service has determined it to be in the best interest of the City of Rocky River to purchase two (2) Plow and Body Packages for previously purchased 2023 International HV507 Single-Axel Truck Chassis for the Service Division, under the Sourcewell Cooperative Purchasing Contract from Henderson Products, Inc., 2177 State Route 19, Bucyrus, Ohio 44820, at a cost not to exceed Two Hundred Fifty Nine Thousand Four Hundred Eighty Four Dollars and 00/100 (\$259,484.00), as further described in Exhibit "A".

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ROCKY RIVER, COUNTY OF CUYAHOGA STATE OF OHIO:

SECTION 1. That the Director of Public Safety-Service is hereby authorized to purchase two (2) Plow and Body Packages for previously purchased 2023 International HV507 Single-Axel Truck Chassis for the Service Division, under the Sourcewell Cooperative Purchasing Contract from Henderson Products, Inc., 2177 State Route 19, Bucyrus, Ohio 44820, at a cost not to exceed Two Hundred Fifty Nine Thousand Four Hundred Eighty Four Dollars and 00/100 (\$259,484.00), as further described in Exhibit "A".

SECTION 2. That the funds for said purchase shall be paid from the Equipment Purchase Fund-Streets Vehicles and Large Equipment account.

SECTION 3. That this Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of public peace, health and safety, and for the further reason that it is necessary for the Service Division, and provided it receives the affirmative vote of two-thirds (2/3) of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: June 26th, 2023


JAMES W. MORAN
President of Council

PRESENTED

TO MAYOR: June 26th, 2023

APPROVED, June 26th, 2023

ATTEST:



SUSAN G. PEASE
Clerk of Council


PAMELA E. BOBST
Mayor

It is hereby certified that the amount required for the execution of this Ordinance has been lawfully appropriated or authorized or directed for such purpose and is in the treasury or in the process of collection to the credit of the fund described herein free from any obligation or certification now outstanding.


MICHAEL THOMAS, CPA
Director of Finance

I, the undersigned clerk of council of the city of Rocky River, State of Ohio, do hereby certify that publication of the foregoing ordinance was duly made by posting a true copy thereof in the lobby of the Rocky River City Hall, in accordance with the charter of Rocky River, commencing on the 26th day of June, 2023.


Clerk of Council of the City of Rocky River, Ohio

C:\Users\PeaseS\AppData\Local\Microsoft\Windows\NetCache\Content.Outlook\8960CG9N\Purchase Two (2) Plow and Body Packages.doc

City of Rocky River } ss
County of Cuyahoga }

THE UNDERSIGNED CLERK OF THE COUNCIL OF THE CITY OF
ROCKY RIVER, OHIO DOES HEREBY CERTIFY THAT THE
FOREGOING IS A TRUE AND CORRECT COPY OF ORDINANCE
NO. 40-23 ADOPTED BY THE COUNCIL OF SAID CITY
ON THE 26th DAY OF June, 2023, THAT THE
PUBLICATION OF SUCH ORDINANCE HAS BEEN MADE AND
CERTIFIED OF RECORD ACCORDING TO LAW; THAT NO
PROCEEDINGS LOOKING TO A REFERENDUM UPON SUCH
ORDINANCE HAVE BEEN TAKEN; THAT SUCH ORDINANCE AND
THE CERTIFICATE OF PUBLICATION THEREOF, ARE OF RECORD
IN ORDINANCE RECORD NO. 40-23.

IN WITNESS WHEREOF, I HAVE HEREUNTO SUBSCRIBED
MY NAME AND AFFIXED MY OFFICIAL SEAL THIS 26th DAY OF
June, 2023.

Annand Y. Blase
CLERK OF COUNCIL OF THE CITY OF ROCKY RIVER, OHIO



HENDERSON

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

To: City of Rocky River
Attn: Frank Sinito
Quote Date: 5/18/2023
Valid Until: 6/17/2023
Sourcewell Contract# 080818-HPI
Sourcewell #: 31317

Quoted By: Ross Repp
Phone: 419-617-7509
Cell: 4195696166
Fax:
Email: rrepp@hendersonproducts.com

Quoted:
2023/24 SINGLE AXLE SNOW & ICE CONTROL TRUCK EQUIPMENT PACKAGE

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Reversible snow plow

Plow Length: 10' length
Moldboard Trip: Full trip with 2 external compression springs
Pushframe Type: Full Width Push Frame with top mount cylinders, HD angle
Moldboard Height: 42" height
Moldboard Shield: Integral shield
Moldboard Sheet Material: 7GA GR50 steel
Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard
Adjustable Trip Spring: Five position adjustable trip spring preload
Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders
Paint: Henderson Orange
12" Rubber Deflector: Yes, w/ SS Backer
Install Rubber Deflector: Yes
36" Plastic Side Markers, Pair: Yes
Parking Jack, Screw Adjustable: Yes
Install Parking Jack: Yes
Cutting Edge: Std 5/8" x 8" One Piece AASHTO punch
Hitch, Plow Portion: Pin and loop oscillating hitch
Plow Portion Installed on Plow: Yes
Hitch, Truck Portion: See HPH or HCH for Truck portion hitch
Custom Option Fields: No Custom Options Required

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders
Plow Portion Hitch: Plow portion picked under plow
Hitch, Truck Portion: Pin & loop hitch, low profile
Bumper to Frame Mounting Kit: No, upfitter supplied mounting
Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder
High Pressure QD System: No High Pressure QD System
Holding Valve for Lift Cylinder: No Holding Valve For Lift Cylinder
Custom Options: Note Custom Details Below
Option 1 Description: OHIO HCH PIN & LOOP WITH 4X2 LIFT CYLINDER 156042
Option 2 Description:
Option 3 Description:





HENDERSON

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

CUSTOMER QUOTE
Page 2
Quote #169642
Rev #53

HPI Marke

COUNTRY/LANGUAGE: USA/ENGLISH
FAMILY: MARK E, CLASSIC
FLOOR LENGTH: 10' FLOOR LENGTH
SIDE HEIGHT: 30" SIDE HEIGHT
BODY MATERIAL (SIDES/HEADSHEET): 10GA 201SS SIDES/HEADSHEET
SIDE BRACES: (1) 10GA 201SS WELD ON SIDE BRACE
TOP RAIL/RUB RAIL MATERIAL: 10GA 201SS TOP & RUB RAILS
REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS
FRONT BOLSTER: FRONT BOLSTERS, 10GA
FLOOR MATERIAL: 1/4" AR400 FLOOR
HOIST TYPE: 8/17 UNDERBODY HOIST W/SF
CYLINDER MODEL: 8/17 UB, 1YR WTY
HOOKLIFT A-FRAME: NON-HOOKLIFT
HOIST MOUNT TYPE: STANDARD SUBFRAME
INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C
LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD
UB HOIST MAINTENANCE: GREASEABLE PINS, NO BUSHINGS
BODY HINGE MAINTENANCE: GREASEABLE PINS, NO BUSHINGS
TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE
TAILGATE SHEET MATERIAL: 10GA 201SS TAILGATE SHEET
TAILGATE LINER: NO TAILGATE LINER
COAL CHUTE: SINGLE 18" CURB SIDE COAL CHUTE
EXTENDED COAL CHUTE HANDLE: NO EXTENDED COAL CHUTE HANDLE
TAILGATE BRACE: 1 HORIZONTAL TAILGATE BRACE
TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE
TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE
TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT
TAILGATE CHAINS: ZINC TAILGATE CHAINS
BOLSTER CHAIN HOOKS: NO CHAIN HOOKS
HORIZONTAL J-HOOKS: NO HORIZONTAL J-HOOKS
TAILGATE PIN LANYARDS: NO TAILGATE PIN LANYARDS
TAILGATE AIR VALVE: UPFITTER SUPPLIED TAILGATE AIR VALVE
LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT
CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD
CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS
CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE
CABSHIELD OFFSET: OFFSET NOT APPLICABLE
CABSHIELD LIGHTING: CS LIGHTS, 2 FORWARD, 1 EACH SIDE, 2 REAR
ASPHALT LIP: NO ASPHALT LIP
SIDE BOARDS: UPFITTER SUPPLIED SIDEBOARDS
SIDE LADDER LOCATION: LADDER/GRHND, DS FRNT, SL
SIDE LADDER TYPE: LADDER, FOLD DOWN, 201SS
BODY STEPS: NO INTERIOR STEPS
RUB RAIL LIGHTING: NO RUB RAIL LIGHTING
REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT
REAR FACING REAR BOLSTER LIGHT: 3 OROUND LIGHT



National
Purchasing
Partners
Government



AMERICAN PUBLIC WORKS ASSOCIATION





HENDERSON

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

- LIGHTING ADD ONS: NO BOLT-ON LIGHT BOX
- LIGHTING PACKAGE: UPFITTER SUPPLIED LIGHT PACK
- PWS TANKS: NO PREWET TANKS
- PREWET PREP: NO PREWET BOX BRACKET
- WALK RAILS: 2" DRVR & CURB WALK RAIL
- TARP RAILS: NO TARP RAILS
- VIBRATOR LOCATION: NO VIBRATOR
- TGS INSTALLATION: NO FACTORY INSTALLED TGS
- TGS INTEGRATION: NO TGS SPILL SHIELDS
- TGS/ASPHALT LIP MOUNT HOLES: NO MOUNT HOLES IN BOLSTER
- FINISH PREP: WASH & PRIME MILD PARTS ONLY
- PAINT/FINISH: NO FINISH
- NOTE 1:: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 2:: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 3:: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 4: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 5: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 6: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 7: NO ADDITIONAL CUSTOM OPTIONS
- NOTE 8: NO ADDITIONAL CUSTOM OPTIONS

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader
Hopper length: 10'
Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor
Capacity: FSH-II 56" (6.9 CY) w/ formed chain shields standard
Conveyor: Pintle chain, 1/4" x 1 1/2" crossbars
Gearcase: 25:1 ratio, 1.5" shaft, 8 tooth sprockets
Chute type: Standard Dump Over Chute Same Material as Hopper
Tilt-up spinner: Tilt-up spinner with hand wrench, SS (loose "SL")
Spinner disk: Standard disk with Stainless Vanes
Inverted vee: Inverted vee, 201ss
Install inverted vee: Install at factory
Screen type: H.D. top grate screens
Install top grate screens: Install at factory
Hold down kits: Dump body kit w/ chain binders
Rubber side shields: Rubber side shields (loose "SL")
Metal spill shields: Front metal spill shields, 304SS (loose "SL")
Extended front idler adjusters: Extended front idler adjusters
Extended front idler grease tubes: Extended front idler grease tubes
Body Guides: Body Guides (loose "SL")
Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL")
Conveyor speed sensor: Conveyor speed sensor
Chain oiler: Chain oiler (installed)
Option 1 Description: SS TRUNNION ILO MILD





HENDERSON

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

PWS liquid pre-wetting system

Power Source: None-No power unit
Application: V-box spreader
Product Size: Full Size V-Box 10-13FT Long
Control Box: No Control Box Tanks only
Pump: No Pump
Console: None-Deduct PWSE Console
Tank Size: (2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing
Spray Assembly: Std Variable Displacement Nozzle Assembly
Prewet Installed: Installation on FSH
Mounting Hardware: 304SS frame mount hardware for FSH
Flush Kit: System flush kit

Installation Workup

Facility: IDC-OH
Chassis Delivery To Henderson: Henderson Picks Up (100 miles or less)
Completed Truck Delivery Method: Henderson Delivers (100 miles or less)
Chassis Make: International
Chassis Model Yr: 2024
Chassis Model: HV507
Useable CA/CT: 88 Inch
Front Axle Rating: 16000
Rear Axle Rating: 23000
Front Frame Ext?: Yes
Frnt Frame Ext Type: Full
Front Frame Wall: Single Wall
Front Frame Width: 34"
Pump Location: Front Mount Pump (REQUIRES FRONT CRANKSHAFT PROVISION)
Transmission Type: Automatic
Transmission Model: Allison Transmission

Hitch Type: Low Profile or Manual Tilt Type Hitch
Mount Type: Engineered Truck Hitch (sales to order hitch w/ unit)
Mount Spec: 177649 KIT,HITCH,HERCULES,PUMP,FRONT
Front Bumper: Fabricated Channel Bumper (2pc design) (MFG Material)

Front Plow Type: Standard Henderson Plow
Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit
Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Single Axle
Floor Length: (10') Floor length
Hoist Type: Underbody Hoist with Subframe
Cylinder Type: Double Acting





HENDERSON

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

Body Material (Sides/ends): Stainless Steel Type Body Material
Tailgate Release Type: IDC Supplied manual air over air valve
Pressure Protection Valve: Direct to air tank valve (Int, Mack & Volvo)
Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit
Ladder(s): **Supplied by factory**, Install @ IDC (sales to order w/ unit)
Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)
Ladder Install Style (Dump) 1: Fold Down Side Ladder
Ladder Install Loc 1 (Dump): Driver Side Front
Shovel Holder: (1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt
Shovel Holder Loc (1): Driver side body
Sideboards: Wood (Un-Painted), supplied/installed by IDC

Sideboard Notes:

Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic

FSH Mount Type: Slip in Mount

Slip in Tie Downs: Factory Hold down kit (Sales to order with unit)

Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit

Rubber Side Shields: Supplied by fact, installed @ IDC (Sales to order with unit)

Front Spill Shield: Factory supplied, installed @ IDC (sales to order with unit)

FSH Spinner Configuration: Standard Spinner install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Prewet/Liquid System: V-box Prewet System

System Type: FSH

Tank Configuration: Factory Supplied/Installed (Sales to order w/unit)

Drive Configuration: Hydraulic Drive, Vendor Supplied (sales to quote w/ hyd)

Controls: **Supplied by IDC** (sales to order w/ hyd cntrls)

Feedback Sensor: Factory Supplied/Installed (Sales to order w/unit)

Flush Kit: **Supplied by factory**, Installed @ IDC (sales to order w/unit)

Liquid Details:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Fenders: Poly fenders, Full Pair, single axle, SS mount

Pintle Plate: **Yes** (select from options below)

Pintle Plate Configuration: 3/4" Plate, PH20 Holes, SA w/ SubFrm (3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: 20 Ton

Trailer Plug (2): Remount OEM Trailer Plug (QTY 1)





HENDERSON

PRODUCTS, INC.

2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

CUSTOMER QUOTE

Page 6
Quote #169642
Rev #53

Truck Wash: Complete Truck Wash/Clean/Vac 1
Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only
Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)
Install Touch-up: Basic Installation Touch-Up
Chassis Install Options 1: Customer Supplied Alum 7-way flat trailer plug.

Electrical: Yes (SELECT RELATED OPTIONS BELOW)

Power Distribution Panel: Power Distribution Panel
Misc Electrical Supplies: Req'd Misc Elect Supplies
Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair
Plow Light Brackets: Plow Lt Brckts, SS, Mnt to Fact Hood Mnt Mirror, INTL, Pair
Worklight(s) QTY: (QTY 1) Work Light (Select type below)
Worklight (1) Type: LED, Worklight, 4in Round (Optilux)
Worklight (1) Gen Location: On rear of body
Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit)
Cabshield Warning Lights: QTY 3 6" LED Ovl Strobe Green/Qty 3 LED Ovl Strobe

Amber

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6)
Rear Dump Bolster (S/T/T): LED S/T/T, kit (OH) (order holes)
OEM Light Remount: Remount OEM Chassis Lights
Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body)
Rear Dump Bolster Strobes: 6" LED Oval Strobes, 1 Amber, 1 Green (order holes w/unit)

Back up alarm: Backup Alarm, 97db
Body up switch/light: Supplied with Hydraulics, IDC install
Brake controller: Brake Controller, Voyager Brake Controller
Backbone & Wire Standoffs: 10' Backbone (For SA)

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package
Hyd Supplier: Certified (Select Pkg Below)
Hyd Supplier (Spec): Certified Power Quote 183555503
Controls Type: Electric Controls
PTO Type: Included in Hydraulics Package
Reservoir Type: Supplied With Hydraulics
Valve Enclosure Type: Supplied With Hydraulics
Low Oil Indicator: Yes, included in Hyd Pkg
Return Filter: Provided with Hydraulics
SS Tubing Upgrade: SA,F&R lines,6'Frnt,9'Rr
Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:



National
Purchasing
Partners
Government





HENDERSON

CUSTOMER QUOTE

PRODUCTS, INC.
2177 STATE ROUTE 19
BUCYRUS, OH 44820
PHONE: 419-617-7509
FAX: 563-927-7106

Page 7

FRONT MOUNT PUMP
LOW OIL SHUTDOWN KIT
SS QUICK CUPLERS INCLUDED IN QUOTE
SS VALVE ENCLOSURE/OIL TANK COMBO
HIGH PRESSURE FILTER SYSTEM
ELECTRIC JOYSTICK CONTROLS WITH ARMREST CONSOLE WITH TOUCHGUARD SWITCH
PACK AND FREEDOM 2 SPREADER CONTROLLER
OPEN LOOP PREWET VALVE AND PUMP

IDC Paint Location: IDC-OH

Disclaimer: Paint not guaranteed to match OEM chassis color

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):

Total package price: \$142,324.00
Total package w/applicable 10% Sourcewell discount: \$128,091.00
Freight: \$1,650.00
Single package total: \$129,742.00
Package(s) : 1
Total: \$129,742.00

**10% Sourcewell discount applies to all equipment and installation only.

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: _____ Date: _____

Quote notes:

